

WSCF ANALYTICAL RESULTS REPORT


for

Groundwater Remediation Program


Richland, WA 99354

Attention: Steve Trent


Analytical:

 S. Fitzgerald

Client Services:

 P.D. May 2/2/2005

All results are reported on an "as received" basis unless otherwise noted in the comment section.



Confidentiality Notice: The information contained in this report is privileged and confidential information intended only for the use of the addressee. If the reader of this report is not the intended recipient, or the employee or agent responsible to deliver it to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you have received this communication in error, please notify us immediately by telephone at (509) 373-7020.

Contract#: EH-EIS-2003-MEM-001
Report#: WSCF20050229
Report Date: 2-feb-2005
Report WGPP/ver. 1.1
Groundwater Remediation Program

RECEIVED
JUN 20 2005
EDMC

Page 1

0065596

0000000001

WSCF

ANALYTICAL RESULTS REPORT

Attention:
Project:

Steve Trent
F04-032: F04-032

Group #: WSCF20050229

Sample #	Client ID	CAS #	Test Performed	Matrix	WSCF Method	RQ	Result	Unit	DF	MDL	Analyze	Sample	Receive
Radiochemistry													
W050000218	B1BJJ9	TRENT	12587-46-1	Gross alpha	WATER	LA-508-421	U	0.0890	pCi/mL	1.00	0.20	02/02/05	01/31/05 01/31/05
W050000218	B1BJJ9	TRENT	E,T,C	Alpha error by LC	WATER	LA-508-421		+ - 0.57	pCi/mL	1.00	0.0	02/02/05	01/31/05 01/31/05
W050000218	B1BJJ9	TRENT	12587-47-2	Gross beta	WATER	LA-508-421		2.50	pCi/mL	1.00	0.30	02/02/05	01/31/05 01/31/05
W050000218	B1BJJ9	TRENT	E,T,C	Beta error by LC	WATER	LA-508-421		+ - 0.88	pCi/mL	1.00	0.0	02/02/05	01/31/05 01/31/05

MDL=Minimum Detection Limit

U - Analyzed for but not detected above limiting criteria.

RQ=Result Qualifier

DF=Dilution Factor

* - Indicates results that have NOT been validated; + - Indicates more than six qualifier symbols

Report WGPP/ver. 1.1

Groundwater Remediation Program

WSCF

ANALYTICAL COMMENT REPORT

Attention:
Project Number

Group #: 20050229

Sample #	Client ID	Lab Area	Test	Comment
----------	-----------	----------	------	---------

Lab Areas: VALGROUP - Group Validation
LOGSAMP - Login for Sample

VALTEST - Test Validation
LOGTEST - Login for Tests

TESTDATA - Test Data Entry

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

wgppc/1 Report#: 20050229

Report Date: 2-feb-2005

Page 1

WSCF

TENTATIVELY IDENTIFIED PEAK REPORT

Attention:
Project Number

:

Group #: 20050229

Sample #	Client ID	Test Name	Peak Name	CAS#	RT	RQ	Result	Units
----------	-----------	-----------	-----------	------	----	----	--------	-------

RQ=Result Qualifier

This report may not be reproduced, except in its entirety without the written approval of the WSCF Laboratory.

WSCF

The results provided in this report were generated using the following WSCF Laboratory procedures. For your convenience, this table provides a listing of the regulatory or industry methods that are referenced by each of these WSCF procedures. Please note that the most recent version of the regulatory or industry method is listed here even though the WSCF procedure may reference an older version of the method. Also, a reference to a regulatory or industry method here does not necessarily indicate a verbatim implementation of that method.

LA-508-421	LA-508-421: OPERATION OF THE TRI-CARB MODEL 2500TR LIQUID SCINTILLATION ANALYZER
None	No reference to any industry method.

☐ Note: A complete list of WSCF analytical procedures and referenced regulatory or industry methods is available online at <\\ap006\aspdocs\WSCF\Sample Mgmt\ProcedureMethodCrossReference.pdf>. This document includes on-line links to full-text versions of the procedures and methods, where available.

Report Date: 2-feb-2005

Report#: WSCF20050229

Report WGPPM/O

Waste Sampling and Characterization Facility
P.O. BOX 1970 S3-30, Richland, WA 99352
PHONE: (509) 373-7004/FAX: (509) 373-7134

2/1/05

ACKNOWLEDGMENT OF SAMPLES RECEIVED

Groundwater Remediation Program

Richland, WA 99354
Attn: Steve Trent

Customer Code: GPP
PO#: 119325/ES10
Group#: 20050229
Project#: F04-032
Proj Mgr: Steve Trent A0-21
Phone: 373-5869



F15 ICB

The following samples were received from you on 01/31/05. They have been scheduled for the tests listed beside each sample. If this information is incorrect, please contact your service representative. Thank you for using Waste Sampling and Characterization Facility.

Sample#	Sample Id	Tests Scheduled	Matrix	Sample Date
W050000218	B1BJJ9	TRENT @TOTALAB	Water	01/31/05
Test Acronym Description				
Test Acronym	Description			
@TOTALAB	A/B by Liquid Scintillation			

2000000